MONEX*group*.com

PayPro

Payment Reader

MOUNTING GUIDE AND INSTALLATION FOR MDB MACHINES

Disclaimer of Liability

This manual provides installation and operation guidance for the PayPro payment terminal. MONEXgroup is not responsible for errors, damages, or losses from improper use or unauthorized modifications. Altering hardware or software may void the warranty. Use only approved accessories.

Users are responsible for correct setup, maintenance, and compliance with all regulations. By using this product, the operator accepts all related risks.

Safety Precautions

- Ensure that all connections are made securely before powering up the system to avoid short circuits or electrical damage.

- Double-check the voltage and current ratings of the components before connecting them to ensure compatibility.

- Always disconnect power before making or adjusting any connections to avoid electrical shock or damage.

Package Contents

Thank you for choosing the PayPro terminal for your vending machine. This quick guide will help you mount, connect, and set up your terminal, so it's ready to accept payments in just a few minutes.

What's in the Box

1x PayPro Terminal

1x Mounting Plate

0.5" / 13mm

1x Riser

1x Rubber Gasket

0.5"   0.75"   1"   1.5"

13mm   19mm   25mm   38mm

4x 4 Mounting Screws

1x Antenna

1x MDB Y Connector

Optional Accessories

Parts available upon request.

Antenna Magnetic Bracket

0.75" / 19mm

Riser

1x Dex Y Connector

COM1 COM2

1x Comms Connector

For DEX (Digital Exchange) Installations

Dimensions & Interface

95
92
13.1
129.96
51.07

Main

MDB

COM/USB

Mounting Plate

Mounting plates are recommended for a secure installation. Suitable for NAMA / EVA standard accessory dimensions, with defined cut-out sizes and mounting space.

Mounting Plate Dimensions

Terminal Installation

Installation of the terminal without using the riser.

PayPro Terminal

Installation Surface

Mounting Plate

4x M3 screws
0.5" / 13mm

Terminal Installation with Riser

If there are spacing challenges, the PayPro terminal can be installed using the supplied riser.

PayPro
Terminal

Installation
Surface

Riser

Rubber
Gasket

Mounting Plate

0.5"   0.75"   1"   1.5"

13mm   19mm   25mm   38mm

4x M3 screws
(select suitable length)

Connecting the Terminal

1. Plug the Antenna into the "Main" port of the PayPro Terminal.
2. Plug the MDB Y Connector (male) into the PayPro Terminal (female), and into the machine's MDB port.

When the machine is powered on, the PayPro Terminal will boot up, and launch the vending application.


Antenna to "Main"

1

2

To Vending Machine

MDB Y Connector

PayPro Terminal

Connecting the Terminal

For DEX (Digital Exchange) Installations*

1. Plug the Antenna into the "Main" port of the PayPro Terminal.

2. Plug the MDB Y Connector (male) into the PayPro Terminal (female), and into the machine's MDB port.

3. Connect the Comms Connector (male) to the terminal (female).

4. Attach the Dex Y Connector (male) into the Comms Connector (female), and to the machine.

When the machine is powered on, the PayPro Terminal will boot up, and launch the vending application.

Antenna to "Main"

To Other Devices

MDB Y Connector

To Vending Machine

PayPro Terminal

Comms Connector

Dex Y Connector

*Ensure your vending machine is set to use the *MDB Level 1* communication standard. Consult your machine manufacturer for guidance.

Need help?

Our team is here for you.

Please have your *Merchant Name* and *Merchant ID* ready when you contact us.

1.866.286.7787

service@monexgroup.com

Thank you for choosing MONEXgroup.

We're proud to support your business.

The MONEXgroup Customer Service Team